

1. Identification

Product Identifier Citroxy - Multi-Use Cleaner

Other means of

identification BJS-1600

Product code

Recommended use General Cleaner.
Recommended restrictions None known.

Manufacturer information

Company name Boettcher Janitor Service & Supply

Address PO Box 371

Republic, MO 65738

Telephone (417) 732-7004

Emergency phone number PERS (800) 633-8253

24 hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards Not classified

Health hazards Skin corrosion Category 1A

None.

Serious eye damage Category 1

Environmental hazards Not classified.

OSHA defined hazards

Label elements



Signal word DANGER

Hazard statement Causes severe skin burns and eye damage.

Precautionary statement

Prevention Do not breathe mist, vapor or spray

Wash hands and exposed skin thoroughly after handling. Wear protective

gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 $\textbf{IF ON SKIN} \ (\text{or hair}): \\ \textbf{Take off immediately all contaminated clothing. } \\ \textbf{Rinse skin with}$

water/shower. Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a poison center/doctor/medical professional. Specific treatment (see

supplemental first aid section on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do so. Continue rinsing.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

None.

Supplemental information

None.



3. Composition/information on ingredients

Mixture Component(s)			
Chemical name	CAS number	%	
Alcohols, C9-11, ethoxylated	68439-46-3	10-15	
Hydrogen peroxide	7722-84-1	4-6	
D-limonene	5989-27-5	1-3	
Other components below reportable levels		76-85	

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and warm water for

at least 15 minutes. In case of eczema or other skin disorders: Seek medical attention and

take along these instructions.

Eye contact Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do

so. Immediately call a physician or transport to hospital.

Ingestion Rinse mouth. Get medical attention if symptoms occur. Do not induce vomiting. If vomiting

occurs keep head low to prevent stomach contents entering the lungs

Most important

symptoms/effects, acute and

delayed

Can cause serious eye damage. Can cause burning sensation in affected areas. Can cause dermatitis, rash. Hydrogen peroxide can temporarily turn the skin white with persistent

contact.

Indication of immediate medical attention and special treatment needed

Provide general support measures and treat symptomatically. Keep victim under

observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions

to protect themselves. Wash contaminated clothing before reuse. Use with caution.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂)

Unsuitable extinguishing

media

Do not use water jet as an extinguisher as this will spread liquid-sourced fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for

firefighters

Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

This product is fully miscible in water.

Methods and materials for containment and cleaning up

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry



sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g. cloth, sorbent wipes). Clean surface thoroughly with water to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the

SDS.

Environmental precautions Avoid release to the open environment. Avoid discharge into closed floor sumps and other

areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged

exposure. Provide adequate ventilation. Wear appropriate personal protective equipment.

Observe good industrial hygiene practices.

Conditions for safe storage,

including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see

section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueHydrogen PeroxidePEL1 ppm

US ACGIH Threshold Limit Values

ComponentsTypeValueHydrogen PeroxideTWA1 ppm

Biological limit values

ACGIH Biological Exposure Indices

No data available.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels to an acceptable level. It is recommended that users of this product perform a risk assessment to determine the appropriate personal protective equipment.

Individual protection measures, such as personal protective equipment

Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Wear appropriate chemical resistant gloves Nitrile and latex are generally recommended

for these classes of chemicals

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is

recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.



9. Physical and chemical properties

Appearance

Physical StateClear liquid.ColorOrange.OdorCitrus.

Odor threshold Not available.

pH 4.5-6

Melting/freezing point 23°F (-5°C) estimated. Initial boiling point and >212°F (>100°C).

boiling range

Flash point >392°F (>200°C).

Evaporation rate Not available.

Flammability Not available.

Flammability Limits

Upper Not available.
Lower Not available.
Vapor pressure Not available.
Vapor density Not available.

Specific gravity (water=1) 1.01
Solubility in water Complete.
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

10. Stability and reactivity

ReactivityThis product is stable and non-reactive under normal conditions of use. **Chemical stability**Material is stable under normal conditions. Store in a cool dark place.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Material decomposes with the potential to produce a rupture of unvented closed

containers. Avoid storing in excessive heat or sunlight.

Incompatible materials Metals, organic materials, strong reducing agents, strong bases.

Hazardous decomposition

products

No hazardous decomposition products occur. Oxygen can be liberated at temperatures

above ambient.

11. Toxicological information

Information on likely routes

of exposure

Ingestion Do not ingest. May be harmful if swallowed.

Inhalation Do not inhale. May irritate the upper respiratory tract.

Skin contactCan cause severe skin burns.Eye contactCan cause serious eye damage.

Symptoms related to the

Severe skin burns, serious eye damage. Can temporarily turn skin white with prolonged

SDS US

physical, chemical and contact.

Material Name: Citroxy Multi-Use Cleaner

toxicological characteristics

Page 4 of 7



Acute toxicity Expected to have low toxicity to humans.

Product Multi-Use Cleaner (CAS mixture)			
Exposure Classification	Route and Species	LD50	
Acute	Oral, rat	5,072 mg/kg (estimated).	
Acute	Dermal, rat	> 5,200 mg.kg (estimated)	
*Estimates for product may be based on additional component data not shown			

Skin corrosion/irritationCan cause severe skin burns.Serious eye damage/ irritationCan cause serious eye damage.Respiratory sensitizationNot considered a respiratory sensitizer.

Skin sensitizationNot considered a skin sensitizer.Germ cell mutagenicityNo data available to indicate product or any components

present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Not considered a carcinogen.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not Listed.

Reproductive toxicity No data available.

Specific target organ toxicity – single exposure May irritate the upper respiratory tract with prolonged

inhalation.

Specific target organ toxicity – repeated exposure

No data available.

Aspiration hazard

No data available.

12. Ecological information

Ecotoxicity				
Product Multi-Use Cleaner (CAS mixture)				
Aquatic	Species	Test Thresholds		
Crustacea	Daphnia magna	EC ₅₀ = 25 mg/L (estimated)		
Fish	Fathead minnow	LD ₅₀ = 60 mg/L (estimated)		
Algae	Non-specific	EC50 > 60 mg/L (estimated)		
*Estimates for product may be based on additional component data not shown				

Persistence and Hydrogen peroxide in the aquatic environment is subject to various reduction or oxidation

degradability processes and decomposes into water and oxygen. Hydrogen peroxide half-life in

freshwater ranges from 8 hours to 20 days, in air from 10 to 20 hours, and in soils from minutes to hours depending upon microbiological activity and metal contamination.

Alcohol ethoxylate: considered readily biodegradable.

Bio-accumulative potential Expected to be low. Active component in this product will degrade before accumulation

can occur.

Mobility in soil Chemicals of these classes are expected to exhibit moderate to high mobility in saturated

and semi-saturated soils

Other adverse effects No other adverse environmental effects known (i.e. ozone depleting substance,

tropospheric ozone precursor, greenhouse gas emission, endocrine disruptor or other

deleterious environmental effect)

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose

of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.



Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company. As packaged, this product is not believed to meet criteria defining RCRA hazardous wastes when disposed. (40 CFR Part 261, Subpart C). Before selecting disposal method, ensure that the waste materials have been properly assessed

and, as necessary, tested to confirm regulatory status.

Waste from residues/unused

product

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

(see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal. Since emptied containers may contain product residue, follow label warnings

even after container is emptied.

14. Transport information

USDOT Not regulated dangerous goods.

15. Regulatory information

US federal regulations

SARA 302 Extremely hazardous substance Not listed.

SARA 304 Emergency release notification Not listed.

SARA 311/312 Hazard Categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 313 (TRI reporting) Not listed.

California Proposition 65 California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification

(1/2025)

16. Other information, including date of preparation or last revision

 Issue date
 2/24/2023

 Revision date
 3/20/2025

Version # 2

HMIS® ratings Health: 1

Flammability: 0 Physical hazard: 0





NFPA ratings

Health: 1 Flammability: 0 Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

Amend skin corrosion hazard cat from 1 to 1A (definition) General format update, Prop 65 statement; Update toxicology, PPE, and environmental fate information; PPE notations; Composition chart update; Physical data update; miscellaneous text corrections; HMIS and NFPA pictograms inserted